DALI-to Bluetooth Converter/Translator Module



HBIREM29/R Reinforced Low-bay HBIREM29/H High-bay



Product Description

HBIREM29 is a DALI/Bluetooth convertor but integrated with a PIR sensor inside, which converts a standard DALI/DALI2 emergency driver output to Bluetooth output, it enables users to manage and customize monthly functional and annual duration tests based on the Koolmesh Emergency system. It can be used as normal Bluetooth stand-alone PIR sensor either. The high-end Koolmesh platform provides powerful and convenient features, for users, they can effortlessly view, edit, and oversee the entire emergency system; for features, scheduling a monthly self-test or annual self-test in the app, checking the DALI/DALI2 emergency drivers' status, including automatic email notification upon detecting the fault, automatic monthly/annually (functional/duration test) emergency report generation, etc. All the settings and parameters can be set in Koolmesh app, all the information such as reports can be viewed and downloaded from Koolmesh IoT platform.



In addition, HBIREM29 can control serval DALI/DALI2 DT6 or DT8 drivers at the same time.


App Features

- ⟨𝒫 Quick setup mode & advanced setup mode
- B Web app/platform for project deployment & data analysis
- Koolmesh Pro app on iPad for on-site configuration
- Floorplan feature to simplify project planning
- Coming soon
- 合 One-key device replacement
- Device social relations check
- Staircase function (primary & secondary)
- œ€ Remote control via gateway support HBGW01
- (Heat map
- Grouping luminaires via mesh network
- Scenes
- Dusk/Dawn photocell (Twilight function)
- Tri-level control
- Daylight harvest
- 🛠 Circadian rhythm (Human centric lighting)
- Push switch configuration
- Detailed motion sensor settings
- 🛗 Schedule
- Astro timer (sunrise and sunset)
- O Power-on status (memory against power loss)
- Offline commissioning

- Bulk commissioning (copy and paste settings)
- 🛿 Different permission levels via authority management
- S Network sharing via QR code or keycode
- Dinteroperability with Hytronik Bluetooth product portfolio
- Compatible with EnOcean BLE switches
- Internet-of-Things (IoT) featured
- Device firmware update over-the-air (OTA)
- Continuous development in progress...

Hardware Features

- 📟 80mA DALI broadcast output
- Divers Support to control DT8 LED drivers
- 2 Push inputs for flexible manual control
- 🖰 IP20/IP54 Ceiling/Surface mount box available as accessory
- Two types of blind inserts / blanking plates
- 🗶 User-friendly design for installation
- 🔀 High bay version available (up to 15m in height)
- (5) 5-year warranty





Note:

1.1pc HBIREM29 convertor for 1pc 3rd party DALI/DALI2 emergency driver.

2. 1pc HBIREM29 convertor can control serval DALI/DALI2 DT6 or DT8 drivers at the same time.

3. With Bluetooth gateway HBGW01, users can remotely control and monitor emergency system via Koolmesh mobile/tablet app & web app platform.

4. HBIREM29 & 3rd Party standard DALI/DALI2 emergency driver does not need to connect to central DALI PSU.

5. HBIREM29 provides power supply to the 3rd party standard DALI/DALI2 emergency driver and DT6 or DT8 drivers.

Technical Specifications

Bluetooth Transceiver		
Operation frequency	2.4 GHz - 2.483 GHz	
Transmission power	4 dBm	
Range (Typical indoor)	10~30m	
Protocol	₿Bluetooth® 5.0 SIG Mesh	

Sensor Data		
Sensor Model	PIR detection	
HBIREM29	Installation Height : 6m Detection Range(Ø) :9m	
HBIREM29/R	Installation Height : 6m Detection Range(Ø) : 10m	
HBIREM29/W	Installation Height : 6m Detection Range(Ø) : 18m	
HBIREM29/H	Installation height: 15m (forklift) 12m (person) Detection range (Ø): 24m	
Detection angle	360°	

Input & Output Characteristics		
Operating voltage	220~240VAC 50/60Hz	
Stand-by power	<1 W	
Switched power	Max. 40 devices, 80mA	
Warming-up	20s	


Safety & EMC		
EMC standard (EMC)	EN55015, EN61000, EN61547	
Safety standard (LVD)	EN60669-1 , EN60669-2-1 AS/NZS60669-1/-2-1	
RED	EN300328, EN301489-1/-17	
Certification	CB, CE , EMC, RED, RCM	

Environment	
Operation temperature	Ta: -20°C ~ +50°C
IP rating	IP20
IP rating (facial part)	IP54

*IP54 (facial part) only for lens of standard, /R, /H


 * For more details of detection range, please refer to "detection pattern" section.

Mechanical Structure & Dimensions




Subject to change without notice.

Wiring Diagram



——This product should be installed by a qualified electrician.

Placement Guide and Typical Range




The smart device with the App installed will have a typical range of 10m, but varies from device to device. During commissioning, the installer will need to be in range of the devices when searching for devices to add to the network.


Once the devices have been added to the network via the App, the devices will start communicating within the wireless mesh. This means that once the network is complete, all devices are accessible from the smart device when in a 20m range of a single point.

Big and small silicon gasket used to make IP54 degree protection (mounted into HA09 housing for ceiling mount)

Small silicon water-proof gasket dimension(size:mm)





Big silicon water-proof gasket dimension(size:mm)




Note: The small silicon water-proof gasket is not suitable for HBIREM29/W and HBIREM29/UH The Big silicon water-proof gasket is not suitable for HBIREM29/W

Detection Pattern & Optional Accessories





Subject to change without notice.



Subject to change without notice.

Normal Mode

It is the mode in which mains supply is available, with the battery charged or charging. In this mode, HBIREM29 is a Bluetooth stand-alone PIR sensor with ability to create scenes and controllable by Push switch, schedules and app.

Emergency Mode

It is the mode in which mains supply has failed and whilst the control gear is powered by the battery until deep discharge point. In this mode, HBIREM29 is unable to be controlled by other motion sensor, Push switch, schedules and app. However, some emergency parameters can still be conjured via the app, such as time scheduled for self-test, duration for extended emergency mode etc.

Rest Mode

It's the mode in which the luminaires are intentionally off whilst the control gear is powered by the battery. To enter this mode, the prerequisite is that there is no mains supply. In this mode, the luminaires will be turned off automatically and HBIREM29 is powered by the battery. If the luminaires are forced to turn on in this mode, HBIREM29 will then be adjusted to emergency mode. When mains supply is recovered, HBIREM29 will return to normal mode.

Inhibit Mode

It is the mode in which HBIREM29 is powered from mains but prevented from going into emergency mode in the event mains failure. Please enter this mode only in special applications whereby emergency functions is not needed, such as when electricians need to cut off power supply when doing examinations and maintenance work of HBIREM29.

Extended Emergency Mode

It is the mode in which the control gear continues to operate the luminaires in the same way as in emergency mode for the programmed prolong time after the restorations of the mains supply. When this mode is enabled, HBIREM29 will remain in emergency mode even when mains supply is recovered. In this mode, the user must set the time extended for emergency mode; when the time extended elapses, HBIREM29 will return to normal mode.

Self test (Monthly)

HBIREM29 carries out routine test on emergency lighting based on pre-programmed time via the app & web app platform or after receiving manual commands from the app & web app platform. During the self test process, tests for load connections (such as open circuit, short-circuit) and battery connections (such as open circuit, short-circuit, polarity reversal etc.) will be carried out.

All the DALI emergency drivers Self Test feedbacks, results and related Events (Such as the open circuit and short circuit of the load connection, open circuit and short circuit for battery connection) are generated by the driver itself, the HBIREM29 convertor series will only retrieve the data from the emergency driver and translate the DALI feedback into Bluetooth Mesh data correctly and accurately and display to the end user interface (App and Web app Platform). It will not contain any Emergency Self Test circuit in the products itself.

Self test (Annually)

The test is carried out mainly to check the battery level. The user must make sure that the battery for DALI emergency driver is fully charged before HBIREM29 carries out annual test. Also, the battery lifetime statistics will be analysed and displayed on a chart basis.

Push switch function

Users can connect Push switch to HBIREM29 to achieve multiple functions such as manually trigger monthly self test, annually self test, invalid and back to normal mode. Those options can be selected in Koolmesh app Push swich settings.

Dimming Interface Operation Notes

Switch-Dim

The provided Switch-Dim interface allows for a simple dimming method using commercially available non-latching (momentary) wall switches. Detailed Push switch configurations can be set on Koolmesh app.

Switch Function	Action	Descriptions	
	Short press (<1 second) * Short press has to be longer than 0.1s, or it will be invalid.	- Turn on/off - Recall a scene - Turn on only - Quit manual mode - Turn off only - Do nothing	
Push switch	Double push	- Turn on only - Quit manual mode - Turn off only - Do nothing - Recall a scene	
	Long press (≥1 second)	- Dimming - Colour tuning - Do nothing	
Sensor-link	/	 Upgrade a normal on/off motion sensor to a Bluetooth controlled motion sensor 	
Emergency Self-Test Function	Short press (<1 second) * Short press has to be longer than 0.1s, or it will be invalid.	- Start Self test (Monthly) - Start Self test (Annually) - Stop Self test - Invalid	
	Long press (≥1 second)	- Start Self test (Monthly) - Start Self test (Annually) - Stop Self test - Invalid	
Fire Alarm (VFC signal only)	Refer to Koolmesh ® App User Manual V2.1	[®] App User Manual V2.1 [*] App User Manual V2.1 [*] App User Manual V2.1	

Additional Information / Documents

- 1. To learn more about detailed product features/funcvtions, please refer to www.hytronik.com/download ->knowledge ->Introduction of App Scenes and Product Functions
- 2. Regarding precautions for Bluetooth product installation and operation, please kindly refer to www.hytronik.com/download ->knowledge ->Bluetooth Products - Precautions for Product Installation and Operation
- 3. Regarding precautions for PIR Sensors installation and operation, please kindly refer to www.hytronik.com/download ->knowledge ->PIR Sensors - Precautions for Product Installation and Operation
- 4. Data sheet is subject to change without notice. Please always refer to the most recent release on www.hytronik.com/products/bluetooth technology ->Bluetooth Sensors
- 5. Regarding Hytronik standard guarantee policy, please refer to www.hytronik.com/download ->knowledge ->Hytronik Standard Guarantee Policy